

CITY OF SANTA FE, NEW MEXICO

ORDINANCE NO. 2025-19

INTRODUCED BY:

Councilor Carol Romero-Wirth

Councilor Jamie Cassutt

AN ORDINANCE

**AMENDING SFCC 1987, SECTION 25-1.8 (A) TO REQUIRE THE CITY OF SANTA FE
("CITY") TO CONTINUE TO MONITOR THE NATURALLY OCCURRING FLUORIDE
LEVELS IN ITS WATER SYSTEM AT REPRESENTATIVE SAMPLE LOCATIONS AND
TO END THE REQUIREMENT TO ADD FLUORIDE TO THE SYSTEM.**

BE IT ORDAINED BY THE GOVERNING BODY OF THE CITY OF SANTA FE:

**Section 1. Section 25-1.8 of SFCC 1987 (being Ord. No. 2003-25, § 32, as
amended) is amended to read:**

25-1.8 Fluoridation of water supply

The city shall monitor naturally occurring fluoride ion levels in representative sample locations at least once per month. The water division shall report the results of the monthly monitoring in its annual water quality report.

PASSED, APPROVED, and ADOPTED this 8th day of October, 2025.

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25


Alan Webber (Oct 15, 2025 14:31:38 MDT)
ALAN WEBBER, MAYOR

ATTEST:


ANDREA SALAZAR (Oct 15, 2025 14:33:58 MDT)
ANDRÉA SALAZAR, CITY CLERK

APPROVED AS TO FORM:


Erin McSherry (Oct 15, 2025 14:30:39 MDT)
ERIN K. McSHERRY, CITY ATTORNEY

Bill No. 2025-17

Legislation/2025/Ordinance/2025-19/Removing the Fluoride Monitoring Requirement in the City of Santa Fe